




TooA Machine

Technical specifications




TooA Machine | Technical specifications

Business / Model Information	
Model Year	2021
Commercial Category	Medium
Model Name & Number	Macchina Milano-Black Inox
Finishing	Injected Plastic / AF Stainless Steel
Platform / Type	MILANO/EGM01P01
Power (W)	450W
Technical Specifications	
Voltage, Frequency, Phase	220-240V AC/50-60 Hz
Voltage Range	230+/-10%
Max Plug Rating (Typical)	10A (2A)
Plug Type	Detachable: Type F (Schuko) - IEC C13
Power Cord Specs	2.4mm black PCV cable, earthed
Power cord Length	180 cm
Manufacturing Place	Italy
EAN / UPC	8056358459986
Product Dimension in (HxWxD) mm	311 x 296,4 x 395,8
Master Carton Dimensions (H x W x D) mm	385 x 380 x 480
Net Weight (kg)	10
Gross Weight (kg)	12
No of Beakers	1
Beaker type	Food grade coated aluminium
Control	Push button, App
No of Push buttons	1
Backlight	yes (RGB)
Standard preparation cycle	3-5 minutes
Extra time option	yes
Auto Stop	timeout / torque
Stop Button	Yes
Gelato beaker capacity (ml)	80
No of Attachments	1
User Manual	Italian, English, French, German
Certifications	CE (CB scheme), RoHS, REACH, Food Grade
CE Mark	IMQ
Colour Finish & Material (CFM)	Polished black injected ABS/PC; Anti-fingerprint Stainless Steel covers



Functional Characteristics	
Beaker cavity cooling	4 Thermo Electric Coolers (TEC)
TEC cooling	water cooling
Motor Speed, no-load (max)	250 (rpm)
Motor Speed, working cycle	Variable profile according to flavour
Motor Torque (max)	3 kg*cm
Logo, Stickers & Labels	
TooA Logo	Yes
Warning Sticker	Yes
QC sticker	As per process
Rating label Sticker	Yes (rear panel)
Other Specifications	
Warranty	2 years
Main Beaker Material	
Material	Alluminum
Capacity (ml)	80
Weight (g)	40
Cup lid and mixing paddles	Yes





Thank you. Grazie mille. Vielen Dank. Merci.

Contact
info@tooa.com



tooa.com